



Standard configuration L / R



* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use Ergopower L. + rear caliper (140 mm).

UK configuration R / L



* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use Ergopower R. + rear caliper (140 mm).

COUPLE OF REAR SCREWS*

AC18-DBSC19 (19 mm) frame 10 -14 mm
AC18-DBSC24 (24 mm) frame 15-19 mm
AC18-DBSC29 (29 mm) frame 20-24 mm
AC18-DBSC34 (34 mm) frame 25-29 mm
AC18-DBSC39 (39 mm) frame 30-34 mm
AC18-DBSC44 (44 mm) frame 35-39 mm

*for each rear caliper order one code of screws

CAMPAGNOLO OIL*


LB-200	OIL 250 ml
LB-200S	OIL 100 ml
LB-200B	OIL 1000 ml

*for one bike approx 30 ml are needed

DC12-RE2B - CLAMP FOR Ø 32 mm
DC12-RE5B - CLAMP FOR Ø 35 mm
FD-SR001EPS - STIFFNESS INCREASER
FD-SR003 - CHAIN GUARD (Brazed on or Clamp)
FD-SR203 - CHAIN SECURE DEVICE (Brazed on ONLY)



**FRONT DERAILLEUR
FD15-SR2BEPS**



TOOLS



**OIL LEVEL TOOL
UT-DB011**



**BLEEDING KIT
DB-100**

ACCESSORIES

AC18-DBADR6

Adapter kit 140 to 160mm for rear caliper+2 fixing screws

LEGENDA


— Compulsory

- - - Optional


Standard configuration L / R



ERGOPOWER L. + FRONT CALIPER*
EP18-HPDLF6EPS




ROTOR 160 mm
DB-160




ERGOPOWER R. + REAR CALIPER 140 mm
EP18-HPDRR4EPS



ROTOR 140 mm
DB-140



ERGOPOWER R. + REAR CALIPER 160 mm
EP18-HPDRR6EPS




ROTOR 160 mm
DB-160

* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use Ergopower L. + rear caliper (140 mm).


UK configuration R / L




ERGOPOWER R. + FRONT CALIPER*
EP18-HPDRF6EPS




ROTOR 160 mm
DB-160




ERGOPOWER L. + REAR CALIPER 140 mm
EP18-HPDLR4EPS



ROTOR 140 mm
DB-140



ERGOPOWER L. + REAR CALIPER 160 mm
EP18-HPDLR6EPS



ROTOR 160 mm
DB-160

* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use Ergopower R. + rear caliper (140 mm).

COUPLE OF REAR SCREWS*

AC18-DBSC19 (19 mm)
frame 10 - 14 mm

AC18-DBSC24 (24 mm)
frame 15 - 19 mm

AC18-DBSC29 (29 mm)
frame 20 - 24 mm

AC18-DBSC34 (34 mm)
frame 25 - 29 mm

AC18-DBSC39 (39 mm)
frame 30 - 34 mm

AC18-DBSC44 (44 mm)
frame 35 - 39 mm

*for each rear caliper order
one code of screws

CAMPAGNOLO OIL*

LB-200	OIL 250 ml
LB-200S	OIL 100 ml
LB-200B	OIL 1000 ml

*for one bike approx 30 ml
are needed

DC12-RE2B - CLAMP FOR Ø 32 mm

DC12-RE5B - CLAMP FOR Ø 35 mm

FD-SR001EPS - STIFFNESS INCREASER

FD-SR003 - CHAIN GUARD (Brazed on or Clamp)

FD-SR203 - CHAIN SECURE DEVICE (Brazed on ONLY)




FRONT DERAILLEUR
FD15-RE2BEPS

SOLUTION 1
AC16-HOBCEPS



SOLUTION 2
AC16-HOSP27
or
AC16-HOSP32



V3 POWER UNIT
PU16-EPS*



V3 INTERFACE UNIT
IF16-EPS



ULTRA-TORQUE CUPS
OC12-... / IC15-...



H11 ULTRA-TORQUE CRANKSET
FC18-HP...



EPS REAR DERAILLEUR
RD12-RE1EPS



11s SUPER RECORD SPROCKETS
CS...



RECORD 11s CHAIN
CN11-RE1

V2/V3 BATTERY CHARGER
AC14-BCEPS

CABLE BATTERY CHARGER
AC12...

TOOLS



OIL LEVEL TOOL
UT-DB011



BLEEDING KIT
DB-100

ACCESSORIES

AC18-DBADR6

Adapter kit 140 to 160mm for rear caliper+2 fixing screws

LEGENDA


— Compulsory

- - - Optional


Standard configuration L / R



ERGOPOWER L. + FRONT CALIPER*
EP18-HPDLF6




ROTOR 160 mm
DB-160




ERGOPOWER R. + REAR CALIPER 140 mm
EP18-HPDRR4



ROTOR 140 mm
DB-140



ERGOPOWER R. + REAR CALIPER 160 mm
EP18-HPDRR6




ROTOR 160 mm
DB-160

* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use Ergopower L. + rear caliper (140 mm).


UK configuration R / L




ERGOPOWER R. + FRONT CALIPER*
EP18-HPDRF6




ROTOR 160 mm
DB-160




ERGOPOWER L. + REAR CALIPER 140 mm
EP18-HPDLR4



ROTOR 140 mm
DB-140



ERGOPOWER L. + REAR CALIPER 160 mm
EP18-HPDLR6



ROTOR 160 mm
DB-160

* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use Ergopower R. + rear caliper (140 mm).

COUPLE OF REAR SCREWS*

AC18-DBSC19 (19 mm)
frame 10 -14 mm

AC18-DBSC24 (24 mm)
frame 15-19 mm

AC18-DBSC29 (29 mm)
frame 20-24 mm

AC18-DBSC34 (34 mm)
frame 25-29 mm

AC18-DBSC39 (39 mm)
frame 30-34 mm

AC18-DBSC44 (44 mm)
frame 35-39 mm

*for each rear caliper order
one code of screws

CAMPAGNOLO OIL*

LB-200	OIL 250 ml
LB-200S	OIL 100 ml
LB-200B	OIL 1000 ml

*for one bike approx 30 ml
are needed

DC12-RE2B - CLAMP FOR Ø 32 mm

DC12-RE5B - CLAMP FOR Ø 35 mm

FD-SR003 - CHAIN GUARD
(Brazed on or Clamp)

FD-SR203 - CHAIN SECURE DEVICE
(Brazed on ONLY)



FRONT DERAILLEUR
FD15-SR2B

FD15-SR2BS2 *

*with S2 System



ULTRA-TORQUE CUPS
OC12-... / IC15-...



H11 ULTRA-TORQUE CRANKSET
FC18-HP...



REAR DERAILLEUR (short cage)
RD18-SR1



11s SUPER RECORD SPROCKETS
CS...



REAR DERAILLEUR (medium cage)
RD18-SR1M



11-32 11s SPROCKETS
CS17-112



RECORD 11s CHAIN
CN11-RE1

TOOLS



OIL LEVEL TOOL
UT-DB011



BLEEDING KIT
DB-100

ACCESSORIES

AC18-DBADR6

Adapter kit 140 to 160mm for rear caliper+2 fixing screws

LEGENDA


— Compulsory

- - - Optional


Standard configuration L / R



ERGOPOWER L. + FRONT CALIPER*
EP18-HPDLF6




ROTOR 160 mm
DB-160




ERGOPOWER R. + REAR CALIPER 140 mm
EP18-HPDRR4



ROTOR 140 mm
DB-140



ERGOPOWER R. + REAR CALIPER 160 mm
EP18-HPDRR6




ROTOR 160 mm
DB-160

* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use ErgoPower L. + rear caliper (140 mm).


UK configuration R / L




ERGOPOWER R. + FRONT CALIPER*
EP18-HPDLR6




ROTOR 160 mm
DB-160




ERGOPOWER L. + REAR CALIPER 140 mm
EP18-HPDLR4



ROTOR 140 mm
DB-140



ERGOPOWER L. + REAR CALIPER 160 mm
EP18-HPDLR6



ROTOR 160 mm
DB-160

* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use ErgoPower R. + rear caliper (140 mm).

COUPLE OF REAR SCREWS*

AC18-DBSC19 (19 mm)
frame 10 - 14 mm

AC18-DBSC24 (24 mm)
frame 15 - 19 mm

AC18-DBSC29 (29 mm)
frame 20 - 24 mm

AC18-DBSC34 (34 mm)
frame 25 - 29 mm

AC18-DBSC39 (39 mm)
frame 30 - 34 mm

AC18-DBSC44 (44 mm)
frame 35 - 39 mm

*for each rear caliper order
one code of screws

CAMPAGNOLO OIL*

LB-200	OIL 250 ml
LB-200S	OIL 100 ml
LB-200B	OIL 1000 ml

*for one bike approx 30 ml
are needed

DC12-RE2B - CLAMP FOR Ø 32 mm

DC12-RE5B - CLAMP FOR Ø 35 mm

FD-SR003 - CHAIN GUARD
(Brazed on or Clamp)

FD-SR203 - CHAIN SECURE DEVICE
(Brazed on ONLY)



FRONT DERAILLEUR
FD15-RE2B

FD15-RE2BS2*

*with S2 System



ULTRA-TORQUE CUPS
OC12-... / IC15-...



H11 ULTRA-TORQUE CRANKSET
FC18-HP...



REAR DERAILLEUR (short cage)
RD18-RE1



11s RECORD SPROCKETS
CS...



REAR DERAILLEUR (medium cage)
RD18-RE1M



11-32 11s SPROCKETS
CS17-112



RECORD 11s CHAIN
CN11-RE1

TOOLS



OIL LEVEL TOOL
UT-DB011



BLEEDING KIT
DB-100

ACCESSORIES

AC18-DBADR6

Adapter kit 140 to 160mm for rear caliper+2 fixing screws

LEGENDA


— Compulsory

- - - Optional


Standard configuration L / R



ERGOPOWER L. + FRONT CALIPER*
EP18-HPDLF6




ROTOR 160 mm
DB-160




ERGOPOWER R. + REAR CALIPER 140 mm
EP18-HPDRR4



ROTOR 140 mm
DB-140



ERGOPOWER R. + REAR CALIPER 160 mm
EP18-HPDRR6




ROTOR 160 mm
DB-160

* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use ErgoPower L. + rear caliper (140 mm).


UK configuration R / L




ERGOPOWER R. + FRONT CALIPER*
EP18-HPDLR6




ROTOR 160 mm
DB-160




ERGOPOWER L. + REAR CALIPER 140 mm
EP18-HPDLR4



ROTOR 140 mm
DB-140



ERGOPOWER L. + REAR CALIPER 160 mm
EP18-HPDLR6



ROTOR 160 mm
DB-160

* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use ErgoPower R. + rear caliper (140 mm).

COUPLE OF REAR SCREWS*

AC18-DBSC19 (19 mm)
frame 10 -14 mm

AC18-DBSC24 (24 mm)
frame 15-19 mm

AC18-DBSC29 (29 mm)
frame 20-24 mm

AC18-DBSC34 (34 mm)
frame 25-29 mm

AC18-DBSC39 (39 mm)
frame 30-34 mm

AC18-DBSC44 (44 mm)
frame 35-39 mm

*for each rear caliper order
one code of screws

CAMPAGNOLO OIL*

LB-200	OIL 250 ml
LB-200S	OIL 100 ml
LB-200B	OIL 1000 ml

*for one bike approx 30 ml
are needed

DC12-RE2B - CLAMP FOR Ø 32 mm

DC12-RE5B - CLAMP FOR Ø 35 mm

FD-SR003 - CHAIN GUARD
(Brazed on or Clamp)

FD-SR203 - CHAIN SECURE DEVICE
(Brazed on ONLY)



FRONT DERAILLEUR
FD15-CH2B

FD15-CH2BS2 *

*with S2 System



ULTRA-TORQUE CUPS
OC12-... / IC15-...



H11 ULTRA-TORQUE CRANKSET
FC18-HP...



REAR DERAILLEUR (short cage)
RD18-CH1



11s CHORUS SPROCKETS
CS...



REAR DERAILLEUR (medium cage)
RD18-CH1M



11-32 11s SPROCKETS
CS17-112



CHORUS 11s CHAIN
CN9-CH1

TOOLS



OIL LEVEL TOOL
UT-DB011



BLEEDING KIT
DB-100

ACCESSORIES

AC18-DBADR6

Adapter kit 140 to 160mm for rear caliper+2 fixing screws

LEGENDA


— Compulsory

- - - Optional


Standard configuration L / R



ERGOPOWER L. + FRONT CALIPER*
EP18-P0DLF6




ROTOR 160 mm
DB-160




ERGOPOWER R. + REAR CALIPER 140 mm
EP18-P0DRR4



ROTOR 140 mm
DB-140



ERGOPOWER R. + REAR CALIPER 160 mm
EP18-P0DRR6




ROTOR 160 mm
DB-160

* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use ErgoPower L. + rear caliper (140 mm).


UK configuration R / L



ERGOPOWER R. + FRONT CALIPER*
EP18-P0DRF6




ROTOR 160 mm
DB-160




ERGOPOWER L. + REAR CALIPER 140 mm
EP18-P0DLR4



ROTOR 140 mm
DB-140



ERGOPOWER L. + REAR CALIPER 160 mm
EP18-P0DLR6



ROTOR 160 mm
DB-160

* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use ErgoPower R. + rear caliper (140 mm).

COUPLE OF REAR SCREWS*

AC18-DBSC19 (19 mm)
frame 10 -14 mm

AC18-DBSC24 (24 mm)
frame 15-19 mm

AC18-DBSC29 (29 mm)
frame 20-24 mm

AC18-DBSC34 (34 mm)
frame 25-29 mm

AC18-DBSC39 (39 mm)
frame 30-34 mm

AC18-DBSC44 (44 mm)
frame 35-39 mm

*for each rear caliper order
one code of screws

CAMPAGNOLO OIL*

LB-200	OIL 250 ml
LB-200S	OIL 100 ml
LB-200B	OIL 1000 ml

*for one bike approx 30 ml
are needed

DC12-RE2B - CLAMP FOR Ø 32 mm

DC12-RE5B - CLAMP FOR Ø 35 mm

FD-SR003 - CHAIN GUARD
(Brazed on or Clamp)

FD-SR203 - CHAIN SECURE DEVICE
(Brazed on ONLY)



FRONT DERAILLEUR
FD17-P0B2B



ULTRA-TORQUE CUPS
OC12-... / IC15-...



ULTRA-TORQUE CRANKSET
FC18-P0...



REAR DERAILLEUR (short cage)
RD18-P0B1S



11s SPROCKETS
CS17-...



REAR DERAILLEUR (medium cage)
RD18-P0B1M




11-32 11s SPROCKETS
CS17-112



CAMPAGNOLO 11s CHAIN
CN17-1114

TOOLS



OIL LEVEL TOOL
UT-DB011



BLEEDING KIT
DB-100

ACCESSORIES

AC18-DBADR6

Adapter kit 140 to 160mm for rear caliper+2 fixing screws

LEGENDA

— Compulsory
- - - Optional